	Туре	L#	Hits	Search Text	DBs
1	BRS	L1	930	257/713.ccls.	US- PGPUB ; USPAT
2	BRS	L2	1321	257/712.ccls.	US- PGPUB ; USPAT
3	BRS	L3	1073	257/706.ccls.	US- PGPUB ; USPAT
4	BRS	L4	805	L3 and (sink or spreader)	US- PGPUB ; USPAT
5	BRS	L5	17 ~ 7 7	L4 and (sink wtih silicon)	US- PGPUB ; USPAT
6	BRS	L6		wtih silicon)	US- PGPUB ; USPAT
7	BRS	L7	365	L6 and copper	US- PGPUB ; USPAT
8	BRS	L8	1	"6486537".pn.	US- PGPUB ; USPAT
9	BRS	L9	1	DALLAMAN PIN	USPAT; USOCR

. 10	0	BRS	L10	1	DI//AIM PN	USPAT; USOCR
------	---	-----	-----	---	------------	-----------------

	Туре	L#	Hits	Search Text	DBs
11	BRS	L11	1	"6127833".PN.	USPAT; USOCR
12	BRS	L12	1	"6122171".PN.	USPAT; USOCR
13	BRS	L13	1	"6107689".P N .	USPAT; USOCR
14	BRS	L14	1	"6099677".PN.	USPAT; USOCR
15	BRS	L15	1	CKURTUK/CDN	USPAT; USOCR
16	BRS	L16	1		USPAT; USOCR
17	BRS	L17	1		USPAT; USOCR
18	BRS	L18	1	"6013948".PN.	USPAT; USOCR

	Туре	L#	Hits	Search Text	DBs
19	BRS	L19	1	"5903052".P N .	USPAT; USOCR
20	BRS	L20	1	"5894108".PN.	USPAT; USOCR
21	BRS	L21	1	"5866949".P N .	USPAT; USOCR
22	BRS	L22	1	"5866949".P N .	USPAT; USOCR
23	BRS	L23	1		USPAT; USOCR
24	BRS	L24	1	TARAZIKA PINI	USPAT; USOCR
25	BRS	L25	1	TOP JUNE 28 PIN 1	USPAT; USOCR
26	BRS	L26	1	DODIE 3/D PN	USPAT; USOCR

	Type	L#	Hits	Search Text	DBs
27	BRS	L27	1	"5474958".PN.	USPAT; USOCR
28	BRS	L28	1	"5200362".PN.	USPAT; USOCR
29	BRS	L29	1	"5157480".PN.	USPAT; USOCR
30	BRS	L30	1	"4756080".PN.	USPAT; USOCR
31	BRS	L31	1	"4707724".PN.	USPAT; USOCR
32	BRS	L32	1	"4530152".PN.	USPAT; USOCR
33	BRS	L34	IZAM I	L33 and (spreader near\$4 silicon)	US- PGPUB ; USPAT
34	BRS	L35	/AM	L33 and (spreader near\$2 silicon)	US- PGPUB ; USPAT
35	BRS	L36	704	L33 and (spreader near\$1 silicon)	US- PGPUB ; USPAT

	Туре	L#	Hits	Search Text	DBs
36	BRS	L37	0	L33 and (silicon adj heat-spreader)	US- PGPUB ; USPAT
37	BRS	L38	0	L34 and (silicon adj heat-spreader)	US- PGPUB ; USPAT
38	BRS	L39	0	L6 and (silicon adj heat-spreader)	US- PGPUB ; USPAT
39	BRS	L33	289	L7 and aluminum	US- PGPUB ; USPAT
40	BRS	L40	0	BGA and silicon adj (heat-spreader)	US- PGPUB ; USPAT
41	BRS	L41	0	BGA and (silicon with heat-spreader)	US- PGPUB ; USPAT
42	BRS	L42	13	BGA and (silicon with heatsink)	US- PGPUB ; USPAT
43	BRS	L43	261		EPO; JPO
44	BRS	L44	955	1/5///1/ rcie	EPO; JPO
45	BRS	L45	194	257/706 ccls	EPO; JPO